



10101 NW 67<sup>th</sup> Street, Tamarac, Florida 33321

---

t: 954.776.0770

f: 954 776.3780

e: [tgreen@mskprecision.com](mailto:tgreen@mskprecision.com)

w: <http://mskprecision.com>

April 11, 2011

From: Terry Green  
MSK Quality  
Assurance Manage, AS and ISO Representative

Subject: AS9100, Rev C Certification

Reference: MSK AS9100, Rev B Certification (C2008-00800), expired on March 23, 2011

MSK was using BSI for our ISO13485 certification and Perry Johnson for our AS9100 and ISO9001 certification. In 2010 MSK senior management decided that we want to use BSI ONLY for our ISO13485, AS9100 and ISO9001 certifications.

In March 2010 we cancelled our contract with Perry Johnson and signed an agreement with BSI to transfer our ISO13485 and ISO9001 certification. In January 2011 MSK received our ISO13485 and ISO9001 BSI certifications.

MSK is working on signing a contract with BSI for our Stage 1 and Stage 2 AS9100. MSK current Quality Management System is AS9100 compliant based on receiving / maintaining ISO13485 and ISO9001 certification from BSI, a third part registrar. MSK goal for 2012 is to obtain AS9100, Rev C certification from BSI.

*Terry Green*

Terry R. Green  
MSK Quality Assurance Manager  
Office (954) 776-0770 Ext. 227  
Direct: (954) 660-8688  
Fax: (954) 776-3780  
Email: [tgreen@mskprecision.com](mailto:tgreen@mskprecision.com)